

# CLASSICAL MECHANICS

DR. KUEHN, WISCONSIN LUTHERAN COLLEGE

## HOMEWORK 4

**First-pass presentations on Friday, Sept. 25, 2020.**

**Full written solutions due Monday, Sept. 28, 2020.**

- (1) **Atwood machine** An atwood machine consists of a pulley (of negligible mass) over which two blocks, of mass  $m$  and  $M$ , are hung by a cord. Find the tension in the cord and the acceleration of the larger mass,  $M$ .

- (2) **Pushed blocks** A block of mass  $M_1$  rests atop a block of mass  $M_2$ , which lies on a frictionless table. The coefficient of friction between the blocks is  $\mu$ . What is the

maximum horizontal force that can be applied to the blocks for them to accelerate without slipping on one another if the force is applied to block 1? To block 2?

- (3) **Ball and axle.** A mass  $m$  is connected to a vertical revolving axle by two strings, each of length  $l$ . While swinging around at angular speed  $\omega$ , the strings form a 45-45-90 triangle with the ball at the 90 degree angle and the sides of length  $l$ . Gravity is directed downward, of course. Draw a clear force diagram for  $m$ , and then find the tension in each string.

- (4) **Block and wedge.** A block rests on a wedge inclined at angle  $\theta$ . The coefficient of friction between the block and plane is  $\mu$ . First, find the maximum value of  $\theta$  for the block to remain motionless on the wedge when the wedge is fixed in position. Next, if the wedge is given a horizontal acceleration  $a$ , and assuming that  $\tan \theta < \mu$ , find the minimum acceleration for the block to remain on the wedge without sliding. Finally, repeat the previous part, but find the maximum value of the acceleration.